# ¡SORPRENDENTE!: La aprobación de la vacuna COVID para niños por parte de la EMA provocó un aumento del 698 % en el exceso de muertes infantiles en toda Europa

expose-news.com/2023/02/03/8x-increase-child-excess-deaths-europe-c19-vaccine

The Exposé 3 de febrero de 2023

La reciente revelación de que el exceso de muertes infantiles en Europa aumentó en un 698 % tras la Autorización de Uso de Emergencia (EUA) de la vacuna COVID-19 para niños por parte de la Agencia Europea de Medicamentos (EMA) es una tendencia impactante y profundamente inquietante.

Los datos, publicados por fuentes oficiales del gobierno, destacan un desprecio inquietante por la seguridad y el bienestar de nuestros ciudadanos más vulnerables.

El hecho de que las autoridades hayan ignorado tan cruelmente la salud y la seguridad de los niños en la búsqueda de una campaña de vacunación es una acusación condenatoria de sus prioridades y su enfoque inhumano de la salud pública.

Es realmente increíble que los niños, que tenían un riesgo mínimo de enfermedad grave o muerte por COVID-19, hayan sido sometidos a vacunas experimentales con efectos secundarios conocidos y consecuencias desconocidas a largo plazo.



El hecho de que estas muertes hayan ocurrido en cantidades tan asombrosas luego de la autorización de uso de emergencia de la vacuna para niños es una clara indicación de que la vacuna no es segura para esta población y nunca debería haber sido autorizada para su uso en primer lugar.

Está claro que las autoridades han fallado en su deber de cuidado para proteger a nuestros niños y, en cambio, han priorizado su propia agenda, a expensas de la salud y la vida de niños inocentes.

La negligencia y el desprecio por la vida humana que muestran estas acciones son verdaderamente reprobables y ponen en entredicho la integridad y las motivaciones de quienes tomaron la decisión de autorizar la vacuna para niños.

Es vital que exijamos responsabilidad y transparencia a quienes están en el poder para garantizar que una pérdida de vidas tan trágica y evitable nunca vuelva a ocurrir.

No perdamos el contacto... Su Gobierno y Big Tech están tratando activamente de censurar la información reportada por The Exponer para servir a sus propias necesidades. Suscríbete ahora para asegurarte de recibir las últimas noticias sin censura en tu bandeja de entrada...


El aumento repentino del exceso de muertes entre niños de 0 a 14 años en 25 países europeos, incluidos el Reino Unido, Francia, Alemania, España e Italia, entre la semana 22 de 2021 y la semana 52 de 2022 es un motivo de gran preocupación.

El hecho de que este aumento coincida con la aprobación por parte de la Agencia Europea de Medicamentos (EMA) de la vacuna contra la COVID-19 para niños de 12 a 15 años plantea interrogantes sobre un posible vínculo entre la vacuna contra la Covid-19 y el aumento de muertes. Luego lo aprobaron para niños de 5 a 11 años solo unos meses después.




### <u>Fuente</u>


Antes de que la EMA aprobara la vacuna para niños de 12 a 15 años en la semana 22 de 2021, el exceso de muertes entre los niños estaba por debajo de los niveles esperados con un exceso de muertes de menos 322 registrado entre la semana 1 y la semana 21 de 2021.




Y menos 417 muertes en exceso registradas a lo largo de 2020.



Sin embargo, si vamos al comienzo de la pandemia alrededor de la semana 11 de 2020, en realidad encontramos que las muertes entre los niños fueron incluso más bajas de lo esperado con un exceso de muertes de -585.



Trágicamente, tras la aprobación de emergencia de la vacuna Covid para niños, se registró un asombroso exceso de 2098 muertes entre la semana 22 de 2021 y la semana 52 de 2022.



Se sabe que las vacunas contra el COVID-19 pueden causar miocarditis autoinmune, una condición caracterizada por la inflamación del músculo cardíaco. Los reguladores de medicamentos lo han admitido y han declarado que este riesgo es excepcionalmente alto entre los hombres más jóvenes.

### Post-COVID-19 vaccination

Reports of myocarditis and pericarditis following vaccination with COVID-19 vaccines have been received by the Medicines and Healthcare products Regulatory Agency (MHRA).


This makes <u>official figures published by Public Health Scotland</u> in April 2022, revealing a 73% increase in the number of people aged 15 to 44 suffering heart attacks, cardiac arrest, and other cardiovascular diseases since they were offered the Covid-19 injection

very worrying.



Source

A study conducted by the US Centers for Disease Control and Food and Drug Administration has shown that the risk of myocarditis following mRNA COVID vaccination is around 133x greater than the background risk in the population.



Source 2

Meanwhile, <u>official UK Government guidance</u> published in November 2021 stated that a high percentage of all hospitalised children were suffering myocarditis due to Covid vaccination.

## **Background**

Background to myocarditis and pericarditis after COVID-19 vaccination and guidelines:

- this is a <u>rare</u> condition following vaccination
- most patients who develop symptoms do so within a week of vaccination
- most patients who develop symptoms have <u>usually</u> been vaccinated with a mRNA vaccine (Pfizer or Moderna)
- myocarditis and pericarditis following vaccination is usually mild or stable and most patients typically recover fully without medical treatment
- myocarditis significant left ventricular (LV) <u>fibrosis</u> has been described in a <u>high</u>
   percentage of children admitted to hospital, with a small percentage of these having
   non-sustained ventricular tachycardia (VT)
- no follow-up data is available yet on hospitalised patients
- diagnosis of myocarditis and pericarditis should follow published international guidelines
- the majority of cases appear to be mild and self-limiting; any acutely ill or unstable
  patients should be referred to hospital directly
- the long-term consequences of this condition secondary to vaccination are yet unknown, so any screening recommendations need to be balanced against the frequency and severity of the disease with the aim to prevent complications, in particular of myocarditis (arrhythmias, long term myocardial damage or heart failure)

<u>Source</u>

This suggests that this condition could have played a role in the significant increase in excess deaths among children.


Both before and at the height of the alleged pandemic in 2020, excess deaths among children were generally low with minus 60 excess deaths recorded between week 22 of 2019 and week 52 of 2020.

A comparison of previous years also shows that there were 984 excess deaths between week 22 of 2018 and week 52 of 2019, with the majority of those deaths occurring between week 46 and week 52 of 2019.

Why? What caused this sudden rise? This could potentially indicate a spike in illnesses during this time period such as a bad flu season. However, without more information, it is difficult to determine the specific cause.

Similarly, there were 537 excess deaths between week 22 of 2017 and week 52 of 2018, with the majority of those deaths occurring in the latter third of 2018. Again, why? What caused this sudden rise in deaths? Another bad flu season?


Either way, the number of excess deaths in previous years pales in comparison to those that occurred following the European Medicine Agency's emergency authorisation of the Covid-19 injection for use in children.



Source Archived Source

On average, over these three periods, there were 487 excess deaths among children aged 0 to 14. This compares to 2,098 excess deaths among children between week 22 of 2021 and week 52 of 2022.

This represents a 698% increase in excess deaths immediately following the EMA's emergency approval of the COVID-19 vaccine for children.



<u>Source</u> Archived Source

The high risk of myocarditis following mRNA COVID vaccination among young males suggests that this condition most likely played a significant role in the increase in deaths.

It is important to note that the decision to vaccinate children against Covid-19, despite the fact that they were not at a high risk of suffering serious disease from the virus, and it was known at the time the vaccines do not prevent infection or transmission, raises serious questions about the motives behind such a decision.

One possible explanation is financial corruption.

The pharmaceutical industry stands to make billions of dollars from the sale of Covid-19 vaccines, and it is not out of the realm of possibility that some individuals or organizations may have had a financial incentive to push for the vaccination of children.

Another possible explanation for the decision to vaccinate children is an ulterior motive to reduce the world's population. This theory suggests that some individuals or organizations may have a belief that the world's population is too high and that reducing it would have a positive impact on the planet and its resources.

Another reason for "the elite" wishing to reduce the world's population is the fact artificial intelligence has advanced far enough to do tasks in mere seconds that would take humans hours... Therefore, AI will very soon be putting millions of people out of work causing a major crisis.

While these explanations are speculative, they are important to consider when evaluating the decision to vaccinate children despite the fact that they were not at high risk of suffering serious disease due to the alleged Covid-19 virus.

The Expose is 100% funded by you.

Can you help keep us online?

We're ...

# ... Covered for Next Month


# Make a Donation

The decision of the UK Health Security Agency (UKHSA) to no longer offer the Covid-19 vaccine to healthy 5 to 11-year-old children in September 2022 also raises questions about the initial decision to offer the vaccine to this age group in the first place.



### <u>Source</u>

Official data from the Office for National Statistics revealed that since the NHS began vaccinating children aged 5-11 on April 4th 2022 deaths among children aged 5 to 9 were 22% compared to the previous two years.



Source

This suggests that the vaccine played a role in the increase in deaths and confirms it was completely inappropriate to offer the vaccine to this age group, considering the relatively low risk of severe illness from Covid-19 in children.

The initial decision to vaccinate children aged 5-11 was made <u>by the NHS</u>, <u>which stated in April 2022</u> that, "The NHS will start vaccinating children aged 5-11 today, as the biggest and most successful vaccination drive in health service history moves to the next phase."

At the same time, <u>Dr Nikki Kanani</u>, GP and Deputy Lead for the NHS COVID-19 vaccination programme, <u>claimed</u> that "The vaccine is safe and effective – my 10-year-old daughter will be getting hers this week – and I'd encourage all parents to read the information and consider booking their child in for a vaccination at the earliest opportunity.".

Dr Nikki Kanani, GP and Deputy Lead for the NHS COVID-19 vaccination programme, said: "NHS staff continue to work hard across the country to deliver the COVID vaccine to all eligible groups and this group of 5 to 11s are the latest to start receiving theirs, helping to protect against potential future waves of COVID.

"Local vaccine sites are making it as easy as possible for families, and a less daunting experience for youngsters, by offering things like games and therapy dogs, and it's great to see lots of 5 to 11s already booked in.

"The vaccine is safe and effective – my 10-year old daughter will be getting hers this week – and i'd encourage all parents to read the information and consider booking their child in for a vaccination at the earliest opportunity."

### <u>Source</u>

It is unclear if the NHS and Dr Nikki Kanani still stand by these claims now that deaths among young children have risen by 22% in England and Wales and the UKHSA no longer deems it necessary to offer the Covid-19 injection to 5 to 11-year-olds.

In conclusion, the data presented in this article clearly shows an alarming increase in child excess deaths in Europe following the EMA's approval of the COVID-19 vaccine for children.

The fact that authorities continue to push for the vaccination of children, despite the overwhelming evidence of harm, is both inhumane and a betrayal of public trust.

It is imperative that an immediate investigation is launched to uncover the reasons behind this tragedy and to hold those responsible accountable.

We cannot allow this to continue any longer. The safety and well-being of our children must be our top priority. We must demand transparency, accountability and an end to this ongoing vaccine experiment on our children.

It is time for parents, educators, and healthcare professionals to unite and take a stand against this devastating reality.

Subscribe now to make sure you receive the latest uncensored news in your inbox...

# WE URGENTLY NEED YOUR HELP...

We're not funded by the Government to publish lies & propaganda on their behalf like the mainstream media.

Instead, we rely solely on our support. So please support us in our efforts to bring you honest, reliable, investigative journalism today. It's secure, quick and easy...

Just choose your preferred method to show your support below support



MONTHLY SUBSCRIPTION

BUY US A COFFEE

DIRECT BANK
TRANSFER DONATION

DONATE CRYPTO









<u>Covid Related News: EU report proves devastating impact of "vaccines" from the outset and other news corporate media will ignore</u>

World Bank President steps down after accusations of "climate change denier"

Because of propaganda churned out by corporate media some people still live in fear of "the virus"

Names & Faces of 150 Bilderbergers who controlled COVID Pandemic response

✓ Follow Daily Expose on Telegram